



Since 2003

Commitment on Sodium Thiosulphate
Hydrazine Hydrate & Food Additives
Industry for 20 years

河南益之达化工科技有限公司

HENAN EASTAR CHEM. & TECH. CO., LTD.





企业概况

河南益之达化工科技有限公司成立于2003年，从事出口20年，我们有丰富的经验和完善的质量控制体系。经过二十年的努力，我们的专业服务在国内外的合作伙伴中赢得了良好的声誉。

我们的化学产品包括以下内容：水处理剂、医药中间体、食品添加剂、饲料和化肥添加剂、农药中间体、染料中间体。

本公司水合肼年产35000吨，是国内最大的生产商之一，有24%、35%、40%、55%、64%、80%等各类规格，产品远销印度、俄罗斯、日韩、东南亚等。

我司硫代硫酸钠年产60000吨，产品远销到美国、欧洲、南美、韩国、南非、越南、马来西亚、巴基斯坦、中国台湾等20多个国家和地区，并与这些国家和地区的客户建立起了长期和稳定的合作。

本公司有着丰富的从业经验和完善的质控体系。经过多年的辛勤耕耘，我们诚信合作的理念、专业周到的服务赢得了国内外合作伙伴的广泛赞誉。

Company Profile

Henan Eastar Chem. & Tech. Co.,Ltd. was established in 2003, and have been engaged in exporting for 20 years, we are fully experienced and have a perfect quality control system. With 2 decades' devotion to our work, our professional service has won a good reputation among our cooperating partners at home and abroad.

Our chemical products include: water treatment agents, medical intermediates, food additives, feed and fertilizer additives, pesticide intermediates & dye intermediates.

With the annual output hydrazine hydrate of 35,000 MT, our company is one of the largest domestic producers. The available specifications are 24%, 35%, 40%, 55%, 64%, 80%, etc. The product is exported to India, Russia, Japan and South Korea, Southeast Asia and so on.

The annual output of sodiun thiosulphate of our company is 60,000mt. the product is well sold to over 20 countries and areas, such as America, Europe, South America, South Korea, South Africa, Vietnam, Malaysia, Pakistan, China Taiwan, etc. And we establish long and stable cooperation relationship with clients.

Our Company has rich experience and complete quality control system. After years of hard work, our concept of honest cooperation, professional and thoughtful service has won wide praise from domestic and foreign partners.

SODIUM THIOSULPHATE


硫代硫酸钠（大苏打）

外观：白色晶体或粉末

Appearance: white crystal or powder

包装：25、1000千克/袋或按客户要求定做。

Package: 25 or 1000 kg/bag or customized according to customer requirements.



主要用途/Application

用于照相行业做定影剂、净化软水、在制革生产中作为重铬酸盐的还原剂、造纸工业中用作脱色剂、电镀用途等。

Used as a fixative in photography industry; Used for purifying soft water; Used as a reducing agent of bichromate in tanning production; Used as decolorant in paper making industry and also used in electroplate industry, etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|------------------------------|---------------------|
| 含量 Assay(%): | 99.00min |
| 水不溶物 Water insolubles(%): | 0.01 max |
| 硫化物 Sulphides(%): | 0.001max |
| 铁含量 Fe (%): | 0.001 max |

HYDRAZINE HYDRATE

水合肼



外观：无色透明发烟液体

Appearance: Colorless transparent fuming liquid/fluid.

包装：200千克/塑料桶或按客户要求定做。

Package: 200 kg/plastic drum or customized according to customer requirements.

主要用途/Application

农药、医药中间体、染料、ADC发泡剂、显像剂、抗氧化剂、还原剂等。

Used in pesticide, medical intermediate, dye, ADC foaming agent, photographic developer, antioxidant, reducing agent, etc.

质量标准/Quality Standard

| 项目 ITEMS | 指标 INDEX | | | | | | |
|---|-----------------|--------------------|------------------|------------------|------------------|------------------|------------------|
| | 80 | | | 64 | 55 | 40 | 35 |
| | 优等品 Superior | 一等品 First Grade | 合格品 Qualified | 合格品 Qualified | 合格品 Qualified | 合格品 Qualified | 合格品 Qualified |
| 水合肼 Hydrazine hydrate (N ₂ H ₄ ·H ₂ O)(%) (≥): | 80.0 | 80.0 | 80.0 | 64.0 | 55.0 | 40.0 | 35.0 |
| 肼 Hydrazine (N ₂ H ₄)(%) (≥): | 51.2 | 51.2 | 51.2 | 41.0 | 35.2 | 25.6 | 22.4 |
| 不挥发物 Nonvolatile matter (%) (≤): | 0.010 | 0.020 | 0.00 | 0.070 | 0.090 | — | — |
| 铁 Iron(%) (≤): | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0009 | — | — |
| 重金属 Heavy metal (as pb)(%) (≤) | 0.0005 | 0.0005 | 0.0005 | 0.001 | 0.002 | — | — |
| 氯化物 Chloride(as cl)(%) (≤) | 0.001 | 0.003 | 0.005 | 0.01 | 0.03 | 0.05 | 0.07 |
| 硫酸盐 Sulfate(%) (≤): | 0.0005 | 0.002 | 0.005 | 0.005 | 0.005 | 0.005 | 0.01 |
| 总有机物 Total organic matter (mg/l)(≤) | 5max | | | | | | |
| PH(1%水溶液) PH(1%water solution) | 10-11 | | | | | | |

SODIUM METABISULFITE

焦亚硫酸钠



外观： 结晶粉末，呈白色或淡黄色。

Appearance: Crystal powder with white or pale yellow.

包装： 25、1000千克/袋或按客户要求定做。

Package: 25 or 1000 kg/bag or customized according to customer requirements.

主要用途/Application

用作漂白剂、疏松剂、防腐杀菌剂等。

Used as bleach, loosening agents, antiseptic fungicides etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|--|--|
| 外观 Appearance | Crystal powder with white or pale yellow |
| 主含量 Main content (%) : | 96.5min |
| 铁含量 Iron content (in Fe)(%): | 0.003max |
| 清澈度 Clarity: | Pass the test |
| 砷 Arsenic content (in As)(%): | 0.0001max |
| 重金属 (铅) Heavy metal content(in Pb)(%) | 0.0005max |

SODIUM SULFITE

亚硫酸钠



外观：白色结晶粉末。

Appearance: White crystalline powder

包装：25千克/袋或按客户要求定做。

Package: 25 kg/bag or customized according to customer requirements.

主要用途/Application

漂白剂、防腐剂、疏松剂、抗氧化剂等。

Bleach, preservative, loosening agents, antioxidant, etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|---|--------------------------|
| 外观 Appearance | White crystalline powder |
| 主含量 Sodium sulfite(Na_2SO_3),% : | 97 MIN |
| 铁含量 Iron content (in Fe)(%): | 0.01 MAX |
| 游离碱 Free base(In Na_2CO_3)% | 0.60MAX |
| 砷 Arsenic content (in As)(%): | 2.0MAX |
| 重金属 (铅) Heavy metal content(in Pb)(%) | 10MAX |

SODIUM ACETATE

醋酸钠



外观：白色结晶粉末

Appearance: white crystalline powder

包装：25千克/袋或按客户要求定做。

Package: 25 kg/bag or customized according to customer requirements.

主要用途/Application

主要用作食品防腐剂等。

Mainly used as food preservatives, etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|---------------------|----------------------|
| 外观 Appearance | White crystal powder |
| 含量 Content | 99.0%min |
| 硫酸盐 Sulfate | 0.01%max |
| 氯化物 Chloride | 0.005%max |
| 磷酸盐 Phosphate | 0.001%max |
| 镁 Mg | 0.001%max |
| 铁 Iron | 0.0005%max |
| 重金属 Heavy metals | 0.002% max |
| Ph值 PH | 7.5-9.0 |

SODIUM DIACETATE

双乙酸钠



外观：白色结晶粉末或结晶状固体

Appearance: White crystalline powder or crystalline solid

包装：25、1000千克/袋或按客户要求定做。

Package: 25 or 1000 kg/bag or customized according to customer requirements.

主要用途/Application

用于防霉剂、防腐剂、调味剂等。

Used as antiseptic, preservative, flavoring agent etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|---|---------------------|
| 游离乙酸 Free Acetic Acid | 39%-41% |
| 醋酸钠 Sodium Acetate(CH_3COONa) | 58%-60% |
| 水分 Moisture | 2% max |
| Ph值 PH(10% aqueous solution) | 4.5-5.0 |
| 甲酸及易氧化物质 Formic acid and Matters easy to oxidize | 0.2% max |
| 砷 Arsenic (As) | 0.0003% max |

SODIUM BICARBONATE

小苏打



外观：白色晶体或不透明单斜晶系细微结晶。

Appearance: White crystal or opaque monoclinic crystal system fine crystal .

包装：25、1000千克/塑编袋或按客户要求定做。

Package: 25 or 1000kg/plastic bag or customized according to customer requirements.

主要用途/Application

用作膨松剂、用于电影制片、纤维、橡胶行业、冶金工业、印染工业、用于治理污水等。

Used as raising agent, motion picture production, fiber industry, rubber industry, metallurgical industry, printing and dyeing industry and used in water treatment, etc.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|--|---------------------|
| 总碱度 Total alkalinity (NAHCO ₃)(%) | 99min |
| 砷 Arsenic (AS)(%) | 0.0001max |
| 重金属 Heavy metals (Pb)(%) | 0.0005max |
| 干燥失重 Loss on drying (%) | 0.20max |
| PH值 PH Value | 8.6max |
| 白度 White | 85min |
| 镉 Cd (%) | 0.0002max |
| 澄清度 Clarity | — |

GLYCEROL MONOSTEARATE

单甘酯

外观：白色粉末或片状

Appearance: white powder or flakes

包装：25千克/袋或按客户要求定做。

Package: 25 kg/bag or customized according to customer requirements.

主要用途/Application

用作乳化剂或用于化妆品行业。

95% powder is used as emulsifier or 40% flakes is used in cosmetic industry.

质量标准/Quality Standard

| 项目 ITEMS | STANDARD (GB15612-1995) |
|-----------------------------------|----------------------------|
| 外观 Appearance | White powder |
| 含量 Content of Monoester : | 95.0%min |
| 碘值 Iodine value | 3.0g/100g max |
| 凝固点 Solidification point : | 60.0~70.0 °C |
| 游离酸 Free Acid | 2.5%max |
| 游离甘油 Free glycerol | 1.0%max |
| 砷 Arsenic : | 0.0001%max |
| 重金属 (如铅) Heavy metals (as Pb): | 0.0005% max |



CREAM OF TARTAR

酒石酸氢钾



外观：白色结晶粉末

Appearance: white crystalline powder

包装：25千克/袋或按客户要求定做。

Package: 25 kg/bag or customized according to customer requirements.

主要用途/Application

用作缓冲还原剂、食品行业中作膨松剂。

It is used as buffer and reducing agent , also as leavening agent in food industry.

质量标准/Quality Standard

| 项目 ITEMS | 规格 SPECIFICATION |
|--|---------------------|
| 含量 Assay(%) : | 99.0-101.0 |
| 重金属 Heavy metals(as Pb)(%): | 0.002max |
| 砷 Arsenic(%): | 0.0003max |
| 氨 Ammonia: | Pass the test |
| 干燥失重 Loss on drying(%): | 0.5max |
| 盐酸溶液中的不溶物 Insoluble matter in hydrochloric acid | Pass the test |

我们的产品 / THE PRODUCTS WE CAN PROVIDE

| | |
|--|---|
| Ascorbic Acid | Potassium Tripolyphosphate |
| Boric Acid | Potassium Sorbate |
| Calcium Chloride | Pyrophosphate |
| Calcium Propionate | SDIC |
| Calcium Stearoyl Lactylate (CSL) | Sodium Thiosulphate |
| Caprylic Capric Triglyceride | Sodium Acetate |
| Cream of Tartar | Sodium Acid Pyrophosphate (SAPP) |
| DATM | Sodium Alginate |
| Dicalcium Phosphate | Sodium Ascorbate |
| DKP | Sodium Bicarbonate |
| Erythorbic Acid | Sodium Carboxymethyl Cellulose (CMC) |
| Fumaric acid | Sodium Citrate |
| Gelatin | Sodium Diacetate |
| Glycerol Monostearate 40% / 90% | Sodium Erythorbate |
| High fructose syrup | Sodium Hydrogen Sulfate |
| HPMC | Sodium Gluconate |
| Hydropilic Adhesive for Arranging Nails | Sodium Hexametaphosphate |
| Lactic Acid | Sodium Metabisulfite |
| L-Alanine (Medicinal&Edible) | Sodium Propionate |
| L-Aspartic Acid | Sodium Stearoyl Lactylate (SSL) |
| Malic Acid | Sodium Sulfite |
| Malto Dextrin | Sodium Tripolyphosphate (STPP) |
| Maltitol | Sorbic Acid |
| Oxalic acid | Tartaric Acid |
| Phosphoric Acid | Tetra Sodium |
| Polyaluminum Chloride | TCCA |
| Polyglycerol Esters of Fatty Acids (PGE) | Titanium Dioxide |
| Polyglycerol Polyricinoleate(PGPR) | Tricalcium Phosphate (Food Grade) Trisodium Phosphate |
| Polybutylene Succinate(PBS) | Tricalcium Phosphate |
| Potassium Pyrophosphate (TKPP) | Xanthan Gum |



我们的资质 / OUR QUALIFICATION



走向世界的益之达 / EASTAR TO THE WORLD



以诚为本 以勤为道

SINCERITY AS THE BASE

DILIGENCE AS THE WAY

客户至上 遵信守约

CUSTOMER FIRST

SERVICE FORMOST

河南益之达化工科技有限公司

HENAN EASTAR CHEM. & TECH. CO., LTD.

地址：河南省郑州市金水区经三路32号财富广场90B
Address: Room 90B, Fortune Plaza, No.32, Jingsan Road,
Jinshui District, Zhengzhou, Henan Province, 450000, P.R.China

电话：86 371 60901799
Phone: 0086 371 60901799

传真：86 371 65356161
Fax: 0086 371 65356161

邮箱：cora@henan-eastar.com
E-mail: cora@henan-eastar.com

邮编：450000
Zip Code: 450000

网址：www.eastar-chem.com
Website: www.eastar-chem.com