

Barium Carbonate



Packaging Options

25 kg. Plastic Wowen Bag, 1000 kg Big Bags with pallets (optional)



Container Options

20 ft. Container 25-27 mt per FCL



Available Carriers


















BaCO₃



Molar mass: 197.34 g/mol Density: 4.286 g/cm³ Melting Point: 811 °C Boiling

CAS Number: 513-77-9 UN Number: 1564, IMCO Number: 6.1 Uses: Ceramin Industry, Glass industry, brink, pottery industy

Technical Data Sheet

recinical bata sheet		
	Appearance	Free flowing White
		Powder
	Purity(BaCO3)	99.2% min.
	Moisture	0.2% max.
	Ignition residue of Hcl insolubles	0.15% max.
	Total sulfur	0.25% max.
	Ferrum	0.003% max.
	Density (g/ml)	1.0-1.3

Warnings



DANGER! MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. AFFECTS MUSCLES (INCLUDING THE HEART), AND CENTRAL NERVOUS

Current Destinations



Discarding the data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and